



Modular Patch Panels are designed for connecting different SCS subsystems and network equipment to each other with patch cords.

NIKOMAX NMC-RP24-BLANK-HU-MT has 24 nests for Keystone jacks with a height of only 0.5 U. This solution is ideal when it is necessary to provide a high port density (e.g., data centers) or to extend the network in the limited space of the cabinet. The modular design is extremely easy to install and allows the flexibility to combine different types of connectors and categories on a single frame.

All ports are numbered panels and have added labeling area. The patch panel is made of 1.5 mm steel and is suitable for both shielded and unshielded jacks. For better shielding against electromagnetic interference and improve communication with unpainted rails cabinet, galvanized steel panels coated with nickel.

The patch panels offer removable organizers for routing incoming cables.

Ordering Table

| P/N | Number of ports | Height, U | Individual package | | Freight package | | |
|------------------|-----------------|-----------|--------------------|------------|-----------------|----------------|------------|
| | | | Dimensions, mm | Weight, kg | Quantity | Dimensions, mm | Weight, kg |
| NMC-RP24-BLANK24 | | 0.5 | 490x110x50 | 0.4 | 15 pcs. | 515x375x240 | 7 |

Detailed characteristics

| Characteristic | Value |
|------------------------------------|---|
| Connection style | Shielded |
| Temperature ranges | Storage -40 to +70 ° C. Installation 0 to +50 ° C. Operating -10 to +60 ° C |
| Individual packing | Cardboard box |
| Warranty | 1 year |
| Number of ports | 24 |
| Height, U | 0.5 (22 mm) |
| Marking | All ports are numbered, there are additional labeling area |
| Installation | 19" Cabinet or rack |
| Protection level | Metallic (Nickel) |
| Housing material | Nickel-plated steel, 1.5 mm |
| Type of installed modules | Keystone (not wider than 17 mm and not more than 22 mm) |
| Depth in rack (with organizer), mm | 95 |