
**Network Solutions** 

Cassette Patch Panels are designed for connecting different SCS subsystems and network equipment to each other with patch cords.

NIKOMAX NMC-RP08-BLANK-CJ-1U-MT has a standard height of 1U and 8 slots (landing slots) under special cassette modules place (CJ Series). The cassette design is extremely easy to install and, if necessary, allows the flexibility to combine different types of cassettes and categories in a frame. This solution combines the versatility and flexibility of patch panels with traditional simplicity and speed of installation. In addition, a new panel allows you to fit the 48-port RJ45 / 8P8C within 1U.

There are 3 types of NIKOMAX copper cassettes for this panel: Shielded versions of Category 6 and 6A and unshielded version of Category 6. Also, the panel can be installed with optical cassette modules: one slot for 12 LC ports (up to 96 ports per panel) module or two slot for 12 SC ports (48 ports per panel).

The cassette patch panel is made of 1.5 mm steel and is suitable for both shielded and unshielded cassettes. For better shielding against electromagnetic interference and improve communication with unpainted rails cabinet, galvanized steel panels coated with nickel.



The manufacturer reserves the right to alter the appearance and characteristics of the product, without compromising the product's functionality





## **Specifications**

	NMC-RP08-BLANK-CJ-1U-MT			
Туре	Shielded			
Number of Slots	8			
Type of module to be installed	NIKOMAX cassettes , CJ series			
Marking	Labels (supplied with the panel)			
Installation	19" Cabinet or rack			
Height	1 U (44.5 mm)			
Depth (with organizer)	27 / 115 mm			
Housing Material	Nickel-plated steel, 1.5 mm			
Color	Metallic (Nickel)			
Temperature Ranges	Storage -40 to +70 ° C. Installation 0 to +50 ° C. Operating -10 to +60 ° C			
Packaging	Cardboard box			
Warranty	1 year			

## **Ordering Table of Copper Cassette**


Part Number	The number of Rack Spaces	Category	Туре	Type of Port	Number of Ports
NMC-CJ06SA2-1S-MT	1	6 <sub>A</sub>	Shielded	RJ45/8P8C	6
NMC-CJ06SE2-1S-MT	1	6	Shielded	RJ45/8P8C	6
NMC-CJ06UE2-1S-MT	1	6	Unshielded	RJ45/8P8C	6

### **Ordering Table of Optical Cassette**

Part Number	Number of Rack Spaces	Fiber Type	Outgoing Connectors		Incoming Connectors	
Part Number			Quantity	Connector Type	Quantity	Connector Type
NMF-CJ12M3PA-MTPM-LCU-1S	1	MM 50/125 OM3	12	LC / UPC	1	MTP/MALE
NMF-CJ12S2PA-MTPM-LCA-1S	1	SM 9/125 OS2	12	LC / APC	1	MTP/MALE
NMF-CJ12S2PA-MTPM-SCA-2S	2	SM 9/125 OS2	12	SC / APC	1	MTP/MALE

# Ordering Table of Cassette Patch Panel

Part Number	Slots	Height, U	Individual package		Freight package		
			Dimensions,mm	Weight, kg	Quantity	Dimensions,mm	Weight, kg
NMC-RP08-BLANK-CJ-1U-MT	8	1	510x90x60	0.850	15 pcs.	515x400x230	12.9



# **Package Content**

Patch panel - 1 pc. Cable organizer - 1 pc. Label - 1 set Cable tie - 48 pcs. Installation instruction- 1 pc.

### NMC-RP08-BLANK-CJ-1U-MT

1U, 8 slots UTP/STP copper or optical cassette

### **Accessories**

 Punch
 Cable
 Cable

 Down
 Cutter:
 Stripper:

 Tool:
 NMC-502C
 NMC-S501B

 NMC-3640RB
 NMC-222

The manufacturer reserves the right to alter the appearance and characteristics of the product, without compromising the product's functionality